

Read this sheet in full before using, and keep for later reference.

Class 2 OTC drugs

Find more product info online

Sucrate

Search

# Sucrate Ichoyaku (Granules)

## for Stomach Pain, Bloating and Heartburn

### Directly helps repair affected areas

#### ○Goes to the source of stomach pain to directly protect and repair the affected area of the gastric mucosa

Sucralfate specifically targets and directly binds to affected areas in the stomach, protecting them from gastric acid and other threats, helping to heal afflictions at the source. Azulene sulfonate sodium and L-glutamine work to relieve inflammation, encouraging the repair of affected areas.

#### ○Provides fast, lasting neutralization of gastric acid

Magnesium aluminosilicate and synthetic hydrotalcite provide quick, lasting neutralization of gastric acid(a common source of symptoms) and ease the burden on the stomach. Scopolia extract soothes the nerves in the stomach to reduce gastric acid production.

#### ○Quick-dissolving granules

## Warnings

### Do not

(Failure to comply with these instructions increases the likelihood of current symptoms worsening, side effects occurring, and other potentially serious risks)

#### 1. Do not use this product if you

(1) Are receiving dialysis treatment

#### 2. Do not take any of the following pharmaceuticals while using this product

Gastrointestinal antispasmodic pain relievers

#### 3. Individuals who are breastfeeding should avoid taking this product, or avoid breastfeeding after taking the product (ingredients may transfer to breast milk and cause an elevated heartbeat in nursing infants)

#### 4. Do not use this product continuously for extended periods

### Seek advice

#### 1. Ask a doctor, pharmacist or registered seller before use if you are

(1) Currently receiving treatment from a doctor

(2) Pregnant or suspect you may be pregnant

- (3) Elderly
- (4) Have ever shown allergic symptoms when taking a drug or medicine
- (5) Have the following symptom: Difficulty urinating
- (6) Have been diagnosed with any of the following conditions: Kidney disease; heart disease; glaucoma

**2. The following symptoms may be side effects of the product. If you experience any of the following symptoms when using the product, stop use immediately and bring this sheet to a doctor, pharmacist or registered seller for consultation.**

Affected area	Symptom
Skin	Rash or redness; itchiness

**3. The following symptoms may occur after using the product. If these symptoms persist or worsen, stop use and bring this sheet to a doctor, pharmacist or registered seller for consultation.**

Dry mouth; nausea; constipation; diarrhea

**4. If symptoms do not improve after about two weeks of use, stop use and bring this sheet to a doctor, pharmacist or registered seller for consultation.**

#### Other warnings

**May result in reduced breast milk flow.**

### Effects

Relieves stomach pain, bloating, heartburn, gastric hyperacidity, belching, feeling of heaviness in the stomach, feeling of fullness in the stomach, stomach discomfort, esophageal discomfort, stomach trouble caused by excessive alcohol consumption, nausea (queasiness, nausea due to hangover or alcohol consumption, upset stomach, retching, feeling of sickness) and vomiting.

### Directions and Dosage

Take the dose shown below between meals\* and before bed with lukewarm or cold water.


\*Two to three hours after eating, when most food has left the stomach.

Age	Amount per 1 dose	Doses per day
Adults (15 years and up)	1 sachet	3
Children under 15 years	✗ Do not use	

#### Usage and Dosage Warnings

Use only as directed.

### Ingredients per 1 day's dosage (three sachets; 4.29 g)



Inactive ingredients: hydroxypropylcellulose, D-mannitol, sodium carboxymethyl starch, CMC, silicon dioxide, aspartame (an L-phenylalanine compound) , gum Arabic, dextrin and flavoring.

#### Note about ingredients

The bluish color of the product is attributable to the natural color of the active ingredient azulene sulfonate sodium.

This color has no bearing on the product's safety.

### Storage and Handling

- (1) Store out of direct sunlight in a cool, dry place.
- (2) Keep out of reach of children.
- (3) Do not transfer to another container or package (may lead to incorrect use or affect product quality).
- (4) Do not use after the use-by date indicated on the package.

### Inquiries

Please direct inquiries to the store where you purchased the product or the service center below.

Lion Corporation Consumer Service Center [0120-813-752](tel:0120-813-752)

Hours available: 9:00–17:00 (excluding Saturdays, Sundays and holidays)

## Lion Corporation

3-7, Honjo 1-chome, Sumida-ku, Tokyo 130-8644