Please read this manual at all times when you take this medicine, and keep this manual with this medicine.

Second-class OTC drugs

Natural cardiotonic

KYUSHIN®

(® shows a registered trademark)

Palpitation and **panting** are caused by various causes such as a decrease in functions of the circulatory and respiratory system, excessive tension and stress, menopause, disorder of autonomic nerve caused by cold and heat, overwork and lack of sleep, excessive smoking and alcohol, obesity, hard exercise, and so on.

Palpitation and panting are also caused easily by an age related decline in bodily functions.

Moreover, if you leave those symptoms behind, that will be a trigger to cause various illnesses that gradually causes a decrease in your quality of life.

KYUSHIN shows the excellent efficacy on the palpitation and panting to improve the circulation by each merit in nine kinds of natural drugs originating in animal and plants.

Furthermore, restorative by **KYUSHIN** is effective when person feels the decline of energy by listlessness of the body, feels the decline of consciousness by the heat etc., and has vertigo and dizziness.

↑ PRECAUTIONS FOR USE:

⊠DON' T DO

[If the following is not kept, a present symptom takes a turn for the worse and it becomes easy for the side effect to happen.]

Don't take the following medicines while taking this medicine;

Any other cardiotonics



- 1. The following persons should consult with a physician, pharmacist or tourokuhambaisya (registered retail person) before taking this medicine;
 - 1. Persons who are under treatment by a physician.
 - 2. Persons who are pregnant or may be pregnant.
- 2. In case that the following symptoms appear after taking this medicine, discontinue taking this medicine at once for the possibility of the side effect, and consult a physician, pharmacist or tourokuhambaisya (registered retail person) with this manual.

Areas concerned	Symptoms
Skin	Rash, redness, itching
Digestive organs	Nausea, vomiting

3. In case that the symptoms have not improved even if taking this medicine for 5~6 days, discontinue taking this medicine, and consult a physician, pharmacist or tourokuhambaisya (registered retail person) with this manual.

INDICATIONS:

Palpitation, Panting, Restorative

· Palpitation and panting as follow







· Restorative to the following condition





ADMINISTRATION AND DOSAGE:

Take this medicine with water or lukewarm water in the morning, evening, and before bedtime.

Age	One time dose	Number of times
Adults (15 years old and older)	Two pills	Three times a day
Under 15 years of age	Do not take it.	

Do not leave the pills in your mouth as well as on your tongue, and even do not chew. (If you take the pills in these ways, numbness of tongue or mouth is left for a while because of the property of an ingredient.)

INGREDIENTS:

Six pills contain the following ingredients.

• Toad cake (5mg)

It improves the blood circulation by increasing the contractile force of the cardiac muscle, and moreover, it helps heart function by excreting excessive moisture in the body.

• Oriental bezoar (4mg)

It improves the peripheral circulation, and helps working of the heart.

• Velvet horn (5mg)

It improves energy by its restorative effect.

• Ginseng (25mg)

It improves energy by its restorative effect.

• Saiga antelope horn (6mg)

It improves the tension of the nerve that comes from the stress etc. by the sedative action.

• Pearl (7.5mg)

It improves the tension of the nerve that comes from the stress etc. by the sedative action.

Agalloch (3mg)

It improves the tension of the nerve that comes from the stress etc. by the sedative action.

• Borneo camphor (2.7mg)

It recovers the decline of energy and consciousness.

• Animal bile (Hog bile) (8mg)

It often helps action of digestive organs, and helps the absorption of other ingredients.

· Additive: corn starch, kambaiko (steamed and dried glutinous rice flour), carmellose, medicinal carbon

- Combination in this medicine is thought so that this medicine may produce an excellent effect.
- This medicine is the small pill taken easily, and excellent in the disintegration. It is devised so that the medicinal effect element is promptly absorbed.

PRECAUTIONS IN KEEPING AND HANDLING:

- 1. Always close a bottle tightly and store this medicine in a cool, dry place not exposed to direct sunshine.
- 2. Always keep this medicine out of the reach of children.
- 3. Never replace this medicine with other containers. (It causes the misuse and the quality changes.)
- 4. Never take this medicine that passes the expiration date for use.

For the purpose of relieving the load of the heart:

Excessive eating and drinking, obesity, smoking habit, rapid temperature change and staying up late at night put a strain in the heart, and cause the palpitation and panting.

· Excessive eating and drinking, and obesity;



· Smoking habit;



• Rapid temperature change and staying up late at night;



KYUSHIN PHARMACEUTICAL CO., LTD